

A

## Categoria Category

Resistenza alla fiamma - Fire resistance  
Certificato Classe 1 UNI 9175 CL. 1 IM  
87,5% P.V.C. plastificato - 12,5% cotone  
(Martindale 100.000)



PLANET



A 31 F



A 32 F



A 29 F



A 37 F



A 28 F



A 30 F



A 35 F



A 26 F




A 34 F




A 38 F



A 39 F



A 36 F



A 27 F

C

## Categoria Category

SKILL/SECRET  
Resistenza alla fiamma - Fire resistance  
Certificato Classe 1 UNI 9175 CL. 1IM - EN 1021 - BS 5852  
69% P.V.C. plastificato - 30% cotone - 1% poliuretano  
(Martindale 50.000)



SKILL




C 40 F



C 41 F




C 42 F




C 43 F



C 44 F



C 45 F



C 46 F



C 47 F




C 48 F



C 49 F



C 50 F



C 51 F



C 52 F


C

## Categoria Category


Material: 98% post consumer recycled polyester - 2% polyester  
Flammability: EN 1021 1&2 · BS 5852 0&1 CA · TB 117-2013.  
Will also pass other flammability standards.  
Flame retardant performance is dependent upon the foam used.  
Contain no Flame Retardant chemical.  
Abrasion resistance: rubs · BS EN 14465 · BS EN ISO 12947-2 (Martindale 100.000)




CURA



C 30 C




C 31 C




C 32 C




C 33 C



C 34 C




C 35 C



C 36 C



C 37 C



C 38 C

C

## Categoria Category

Tessuto altamente ignifugo  
Certificato Classe 1 Ministero dell'Interno  
Fireproof fabric - Tissu non feu  
Brandfester Bezug - Tela ignifuga  
100% Poliestere Trevira CS  
(Martindale 70.000)




C 381



C 38 T



C 383



C 380



C 385




C 38 L



C 38 H



C 382



C 386




C 387




C-38



C 384



C 38 A



C 388



C 38 G



C 38 M



C 38 P

C

## Categoria Category

Tessuto altamente ignifugo  
Certificato Classe 1 Ministero dell'Interno  
Fireproof fabric - Tissu non feu  
Brandfester Bezug - Tela ignifuga  
100% Xtreme FR®  
(Martindale 100.000)



C 335



C 336



C 332



C 334




C 329



C 337



C 327 (Dark brown)



C 340



C 325



C 326



C 330



C 331




C 324



C 328



C 349



C 333



C 338

D

## Categoria Category


Post consumer recycled polyester 98%  
Polyester 2%  
Flammability EN 1021 1&2  
BS 5852 0&1 · CA TB 117-2013  
(Martindale 100.000)



BOND™



D 51B



D 52B



D 53B



D 54B



D 55B



D 56B



D 57B



D 58B



D 59B

D

## Categoria Category

Resistenza alla fiamma - Fire resistance  
Certificato Classe 1 IM EN 1021 Part. 1-2  
75% Lana - 25% Poliammide / 75% Wool - 25% Polyamide  
(Martindale 100.000)



FENICE



D 501



D 502




D 503



D 504



D 505



D 506



D 507



D 508



D 509

D

## Categoria Category


100% post-consumer recycled polyester  
Abrasion: rubs (EN ISO 12947-2) Martindale 120.000  
Flammability: BS EN 1021 1&2 Cigarette and Match CA TB 117-2013




OEKO-TEX®  
CONFIDENCE IN TEXTILES  
STANDARD 100




CYBER



D 40Y



D 41Y




D 42Y




D 43Y




D 44Y




D 45Y



D 46Y



D 47Y



D 48Y

D

## Categoria

### Category

Trattamento antimicrobico - Antimicrobial treatment  
 Impermeabilità-Waterproof  
 Resistenza fiamma-Fire resistance  
 UNI 9175/87 CL.1IM - EN 1021 BS 5852  
 63% Poliuretano / Polyurethane - 29% Cotone - Cotton 8% PES  
 IMO A. 652  
 (Martindale 150.000)




D 420



D 426




D 430




D 427



D 431



D 421



D 423



D 432



D 422



D 425



D 428 (Dark brown)



D 424




D 429

D


## Categoria

### Category

Trattamento antimicrobico - Antimicrobial treatment  
 Impermeabilità-Waterproof  
 Resistenza fiamma-Fire resistance  
 UNI 9175/87 CL.1IM - EN 1021 BS 5852  
 63% Poliuretano / Polyurethane - 29% Cotone - Cotton 8% PES  
 IMO A. 652  
 (Martindale 150.000)




D 470



D 471




D 472




D 473



D 474




D 475




D 476




D 477




D 478



D 479



D 480 (Dark brown)



D 481



D 482

D

## Categoria

### Category

Tessuto ignifugo - Fireproof fabric - Tissu non feu - Brandfester Bezug - Tela ignifuga  
 Classe 1IM - DIN 4102 B2 - NF P 92-503/M2  
 100% Vinyl-compound - 100% Polyester Ultra Hi-Loft<sup>2TM</sup> Backing  
 PERMABLOK<sup>®</sup> - Waterproof  
 (Martindale > 100.000)



D 801



D 802



D 803



D 804



D 805



D 806



D 807



D 808



D 809

# D

## Categoria Category

Material: 100% post consumer recycled poliester  
 Flammability: EN 1021 1&2 · BS 5852 0&1 Classe 1 · CA TB 117-2013.  
 Will also pass other flammability standards.  
 Flame retardant performance is dependent upon the foam used.  
 Abrasion resistance: rubs · EN ISO 12947-2 (Martindale 100.000)




D 40R




D 41R



D 42R




D 43R



D 44R




D 45R



D 46R



D 47R



D 48R

# P

## Categoria Category


Vera pelle - Genuine leather  
 Cuir - Leder - Piel auténtica  
 A richiesta disponibili altri colori.  
 By request any other colours available.



P 901




P 915



P 920



P 917




P 909




P 905



P 911




P 910




P 912




P 908



P 902 (Dark brown)



P 914



P 903

Solo per schienale trapuntato modello  
 Only for quilted back model

**KLINT**


SKILL  
 Resistenza alla fiamma - Fire resistance  
 Certificato Classe 1 UNI 9175 CL. 1IM - EN 1021 - BS 5852  
 69% P.V.C. plastificato - 30% cotone - 1% poliuretano  
 (Martindale 50.000)




**SKILL**




40T



41T



49T



52T

Solo per modello  
 Only for model

**KEY LINE**


Rete-Mesh-Resille-Membran-Red  
 70% Polyester - 30% Polyamid  
 Flammability: EN 1021:2014 part 1  
 (cigarette test)  
 (Martindale 170.000)

**4902  
SHRINX**

Solo per modello  
 Only for model

**KROMA, KUPER, KONTAT  
KARMA, KORUM, KOSMO**

Rete - Mesh - Resille  
 Membran - Red  
 64% PL - 36% PA  
 Martindale 100,000



**B** BEIGE



**G** GRIGIO/GREY



**V** VERDE/GREEN



**N** NERO/BLACK



D 218



D 221



D 222